

DIMENSIONS




- ALL DIMENSIONS ARE OUTSIDE FRAMING MEASUREMENTS
- ALL OVERHANG DIMENSIONS ARE FROM FACE OF FASCIA BOARD TO EXTERIOR FINISH

WOOD

- ALL WOOD FRAMING MUST RESPECT CAN3-086.1-H8G
- ALL ASPENITE MUST BE NUMBER ONE (1) CONSTRUCTION GRADE SPRUCE, EXTERIOR SHEETING AND WATERPROOF QUALITY, AND SHOULD RESPECT CSA O191

PLUMBING

- INSTALLATION OF PLUMBING FIXTURES SHALL COMPLY WITH PART 1 OF DIVISION B OF THE ONTARIO BUILDING CODE WITH PLANS AND WITH MANUFACTURER'S SPECIFICATIONS
- ALL TOILETS SHALL BE 6 LITRES PER FLUSH /LOW FLUSH TYPE
- HOT WATER SUPPLY TEMPERATURE TO FIXTURES SHALL NOT EXCEED 49 DEGREE CELCIUS
- HOT WATER TANK TO ATTACHED/FIXED TO BUILDING STRUCTURE
- PROVIDE MIXING VALVE ON HOT WATER TANK
- PROVIDE SEALED/GULFDPROOF COVER ON SUMP PUMP PIT
- ALL HOSE BIBS SHALL HAVE A BACK FLOW PREVENTER
- POTABLE WATER TEST TO BE PROVIDED FROM MINISTRY OF HEALTH
- WELL RECORD TO BE PROVIDED FROM MINISTRY OF ENVIRONMENT
- SEPTIC SYSTEM PERMIT TO BE PROVIDED BY HEALTH UNIT OR EQUIVALENT AUTHORITY



BATHROOM DETAILS
SCALE NO SCALE

JACOB RHEAUME

PROFESSIONAL ARCHITECT
545 ST-LAURENCE STREET

JACOB RHEAUME REVIEW AND TAKE RESPONSIBILITY FOR THE DESIGN UNDER BEHALF OF A FIRM REGISTERED UNDER SUBSECTION 32.4 OF DIVISION C OF THE BUILDING CODE. I AM QUALIFIED AND THE